EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	1	"6907260".pn. AND ((adjust$4 or control$4) near5 power$4 near5 (downlink or forward or base))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2008/12/08 12:05
L2	1	"6907260".pn. AND ((adjust$4 or chang$4) near5 power$4 near5 (downlink or forward or base))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2008/12/08 12:24
L3	1	"6728226".pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2008/12/08 12:26
L4	0	"6728226".pn. AND (measur$4 near5 quality near5 mobile$2)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2008/12/08 12:34
L5	1	"6728226".pn. AND (measur$4 near7 signal $4 near7 mobile$2)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2008/12/08 12:34
L6	0	"6728226".pn. AND (measur$4 near7 signal $4 near7 qualit$5)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2008/12/08 12:36
L7	0	"6728226".pn. AND (measur$4 WITH qualit $6)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2008/12/08 12:37
L8	1	"6728226".pn. AND (measur$4 WITH power $2)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2008/12/08 12:37
L9	1	"6728226".pn. AND (base $2 WITH decreas$3)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2008/12/08 12:56
L10	1	"6907260".pn. AND ((control$4) near5 power $4 near5 (downlink or forward or base) near5 (var$6 or adjust$4 or chang$4))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2008/12/08 13:31

L11	1	"6728226".pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2008/12/08 13:48
L12	0	"6728226".pn. AND ((adjust$4 or chang$4) near5 power$4 near5 (downlink or forward or base))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2008/12/08 13:50
L13	0	"6728226".pn. AND ((adjust$4 or chang$4) near7 power$4 near7 (downlink or forward or base))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2008/12/08 13:50
L14	0	"6728226".pn. AND ((adjust$4 or chang$4) WITH power$4 WITH (downlink or forward or base))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2008/12/08 13:50
L15	1	"6728226".pn. AND ((increas$4) WITH power $4 WITH (downlink or forward or base))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2008/12/08 13:51
L16	1	"6728226".pn. AND (signal$4 WITH quality)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2008/12/08 15:09
L17	1	"6728226".pn. AND (signal$4 WITH base WITH mobile)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2008/12/08 15:20
S1	6	("20030171118" | "20040004943" | "20040018850" | "5657374" | "6324391" | "6577617").PN.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2008/04/22 09:41
S2	258	((SHENG) near2 (LIU)). INV.	US-PGPUB; USPAT; USOCR	OR	ON	2008/04/22 11:15
S3	0	S2 AND ((power$3 AND signal AND RAKE AND control$4 AND transmi $8).CLM.)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2008/04/22 11:16
S4	562	((base ADJ station$2) or (base ADJ transceiver ADJ station$2)) SAME (antenna$2) SAME (RAKE ADJ receiv$4)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2008/04/22 11:41

S5	10	((base ADJ station$2) or (base ADJ transceiver ADJ station$2)) SAME (antenna$2) SAME (RAKE ADJ receiv$4) SAME (signal$3 near6 quality near6 measur$6)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2008/04/22 11:44
S6	0	((base ADJ station$2) or (base ADJ transceiver ADJ station$2)) SAME (antenna$2) SAME (signal $5 near6 quality near6 measur$6) SAME (calculat$6 near6 signal $5 near6 quality) SAME ((power or magnitude) near7 (based or basis or judg$7 or according$4 or adjust$6 or corresponding$4 or determin$6) near7 (signal $4 near5 quality))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2008/04/22 11:58
S7	3	((base ADJ station$2) or (base ADJ transceiver ADJ station$2)) SAME (antenna$2) SAME (signal $5 near6 quality near6 measur$6) SAME (calculat$6 near6 signal $5 near6 quality)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2008/04/22 11:59
S8	45	(((base ADJ station$2) or (base ADJ transceiver ADJ station$2)) SAME (signal$5 near6 quality near6 measur$6)) AND (calculat$6 near6 signal $5 near6 quality) AND ((power or magnitude) near7 (based or basis or judg$7 or according$4 or adjust$6 or corresponding$4 or determin$6) near7 (signal $4 near5 quality))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2008/04/22 12:19

S9	5	(((base ADJ station$2) or (base ADJ transceiver ADJ station$2)) SAME antenna$2 SAME (signal $5 near6 quality near6 measur$6)) AND (calculat $6 near6 signal$5 near6 quality) AND ((power or magnitude) near7 (based or basis or judg$7 or according$4 or adjust$6 or corresponding$4 or determin$6) near7 (signal $4 near5 quality))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2008/04/22 12:20
S10	2	(((base ADJ station$2) or (base ADJ transceiver ADJ station$2)) SAME ((plural$3 OR multiple$2 OR several OR various OR numerous OR many) near6 antenna$2)) AND (signal$5 near6 quality near6 measur$6) AND (calculat$6 near6 signal $5 near6 quality) AND ((power or magnitude) near7 (based or basis or judg$7 or according$4 or adjust$6 or corresponding$4 or determin$6) near7 (signal $4 near5 quality))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2008/04/22 12:44
S11	68	((base ADJ station$2) or (base ADJ transceiver ADJ station$2)) AND (signal$5 near6 quality near6 measur$6) AND (calculat$6 near6 signal $5 near6 quality) AND ((power or magnitude) near7 (based or basis or judg$7 or according$4 or adjust$6 or corresponding$4 or determin$6) near7 (signal $4 near5 quality))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2008/04/22 12:46

S12	30	((base ADJ station$2) or (base ADJ transceiver ADJ station$2)) SAME ((signal$5 near6 quality near6 measur$6) AND (calculat$6 near6 signal $5 near6 quality) AND ((power or magnitude) near7 (based or basis or judg$7 or according$4 or adjust$6 or corresponding$4 or determin$6) near7 (signal $4 near5 quality)))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2008/04/22 12:47
S13	10	(US-20040018850-$ or US-20040004943-$ or US-20030171118-$ or US-20070232346-$ or US-20020057666-$).did. or (US-6577617-$ or US-6324391-$ or US-5657374-$ or US-6961316-$ or US-5893035-$).did.	US-PGPUB; USPAT	OR	ON	2008/04/22 13:45
S14	1	((base ADJ station$2) or (base ADJ transceiver ADJ station$2)) SAME ((signal$5 near6 quality near6 measur$6) AND (calculat$6 near6 signal $5 near6 quality) AND ((power or magnitude) near7 (based or basis or judg$7 or according$4 or adjust$6 or corresponding$4 or determin$6) near7 (signal $4 near5 quality))) AND S13	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2008/04/22 13:45
S15	19	((base ADJ station$2) or (base ADJ transceiver ADJ station$2)) WITH ((signal$5 near6 quality near6 measur$6) AND (calculat$6 near6 signal $5 near6 quality) AND ((power or magnitude) near7 (based or basis or judg$7 or according$4 or adjust$6 or corresponding$4 or determin$6) near7 (signal $4 near5 quality)))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2008/04/22 14:24

S17	1	"20040266473"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2008/04/22 14:48
S18	1	S17 AND (base ADJ station$2 WITH calculat $6 WITH quality)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2008/04/22 14:49
S19	0	S17 AND (base ADJ station$2 near5 calculat $6 near5 quality)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2008/04/22 15:36
S20	1	S17 AND (base ADJ station$2 near7 calculat $6 near7 quality)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2008/04/22 15:37
S21	1	S17 AND ((base ADJ station$2) near7 calculat $6 near7 quality)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2008/04/22 15:37
S22	1	S17 AND ((base ADJ station$2) near5 quality)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2008/04/22 15:39
S23	1	("20020160799").PN.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2008/04/22 16:00
S24	1	11/727281.APP.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2008/04/22 16:01
S25	0	S23 AND ((base ADJ station$2) near6 quality near6 calculat$6)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2008/04/22 16:03
S26	1	09/786459.APP.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2008/04/23 11:01

S27	1	((base ADJ station$2) or (base ADJ transceiver ADJ station$2)) SAME ((signal$5 near6 quality near6 measur$6) AND (calculat$6 near6 signal $5 near6 quality) AND ((power or magnitude) near7 (based or basis or judg$7 or according$4 or adjust$6 or corresponding$4 or determin$6) near7 (signal $4 near5 quality))) AND "6907260".pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2008/04/23 11:18
S28	1	((base ADJ station$2) WITH (calculat$4) WITH quality) AND "6907260". pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2008/04/23 11:26
S29	3	(base ADJ station$2) SAME (((plural$6 OR multiple$2 OR several OR different OR two OR various OR numerous OR many) near5 antenna$2) AND (calculat$6 near6 signal$5 near6 quality) AND (RAKE ADJ receiv $4))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2008/04/23 11:39
S30	0	((base ADJ station$2) WITH (RAKE ADJ receiv $4) WITH (calculat$6 near6 signal$5 near6 quality)) AND ((plural$6 OR multiple$2 OR several OR different OR two OR various OR numerous OR many) near5 antenna$2)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2008/04/23 11:47
S31	2	(((base ADJ station$2) or (base ADJ transceiver ADJ station$2) or BS or (node ADJ B) or BSS) SAME (RAKE ADJ receiv $4) SAME (calculat$6 near6 signal$5 near6 quality)) AND ((plural$6 OR multiple$2 OR several OR different OR two OR various OR numerous OR many) near5 antenna$2)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2008/04/23 11:50

S32	2	(((base ADJ station$2) or (base ADJ transceiver ADJ station$2) or BS or (node ADJ B) or BSS) SAME (RAKE ADJ receiv $4) SAME (calculat$6 near6 signal$5 near6 quality)) AND ((plural$6 OR multiple$2 OR several OR different OR two OR various OR numerous OR many) near5 antenna$2)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2008/04/23 11:52
S33	9	((base ADJ station$2) or (base ADJ transceiver ADJ station$2) or BS or (node ADJ B) or BSS) SAME (RAKE ADJ receiv $4) AND (calculat$6 near6 signal$5 near6 quality) AND ((plural$6 OR multiple$2 OR several OR different OR two OR various OR numerous OR many) near5 antenna$2)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2008/04/23 11:53
S34	3	((base ADJ station$2) or (base ADJ transceiver ADJ station$2) or BS or (node ADJ B) or BSS) SAME ((RAKE ADJ receiv $4) AND (calculat$6 near6 signal$5 near6 quality) AND ((plural$6 OR multiple$2 OR several OR different OR two OR various OR numerous OR many) near5 antenna$2))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2008/04/23 11:53
S37	30	((base ADJ station$2) or (base ADJ transceiver ADJ station$2)) SAME ((signal$5 near6 quality near6 measur$6) AND (calculat$6 near6 signal $5 near6 quality) AND ((power or magnitude) near7 (based or basis or judg$7 or according$4 or adjust$6 or corresponding$4 or determin$6) near7 (signal $4 near5 quality)))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2008/04/23 16:07

S38	3	S37 AND (RAKE ADJ receiv$4)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2008/04/23 16:07
S39	30	((base ADJ station$2) or (base ADJ transceiver ADJ station$2)) SAME ((signal$5 near6 quality near6 measur$6) AND (calculat$6 near6 signal $5 near6 quality) AND ((power or magnitude) near7 (based or basis or judg$7 or according$4 or adjust$6 or corresponding$4 or determin$6) near7 (signal $4 near5 quality)))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2008/04/24 09:39
S40	1	((base ADJ station$2) or (base ADJ transceiver ADJ station$2)) SAME ((signal$5 near6 quality near6 measur$6) AND (calculat$6 near6 signal $5 near6 quality) AND ((power or magnitude) near7 (based or basis or judg$7 or according$4 or adjust$6 or corresponding$4 or determin$6) near7 (signal $4 near5 quality))) AND "6907260".pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2008/04/24 09:40
S41	0	10/599531.APP.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2008/04/24 09:45
S42	14	(US-20040018850-$ or US-20040004943-$ or US-20030171118-$ or US-20070232346-$ or US-20020057666-$ or US-20040266473-$ or US-20020160799-$).did. or (US-6577617-$ or US-6324391-$ or US-5657374-$ or US-6961316-$ or US-5893035-$ or US-6385183-$ or US-6621808-$).did.	US-PGPUB; USPAT	OR	ON	2008/04/24 10:42

S43	0	S42 AND (code ADJ channel$4 ADJ power$4)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2008/04/24 10:42
S44	0	S39 AND (code ADJ channel$4 ADJ power$4)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2008/04/24 10:42
S45	59	(code ADJ channel$4 ADJ power$4)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2008/04/24 10:43
S46	30	S45 AND "455".CLAS.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2008/04/24 10:43
S47	19	(path ADJ loss) near5 (equal) near5 (downlink or (forward ADJ link)) near5 (uplink or (reverse ADJ link))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2008/04/24 10:58
S48	0	(path ADJ loss) near5 (equal) near5 (downlink or (forward ADJ link)) near5 (uplink or (reverse ADJ link)) AND (calculat $6 near6 signal$4 near6 quality)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2008/04/24 10:59
S49	0	((path ADJ loss) WITH (equal) WITH (downlink or (forward ADJ link)) WITH (uplink or (reverse ADJ link))) AND (calculat $6 near6 signal$4 near6 quality)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2008/04/24 10:59
S50	20	((path ADJ loss) WITH (equal) WITH (downlink or (forward ADJ link)) WITH (uplink or (reverse ADJ link)))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2008/04/24 11:00
S51	2	(path ADJ loss) near5 (equal) near5 (downlink or (forward ADJ link)) near5 (uplink or (reverse ADJ link)) SAME (signal $4 near5 quality)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2008/04/24 11:03

S52	0	(path ADJ loss) near5 (equal) near5 (downlink or (forward ADJ link)) near5 (uplink or (reverse ADJ link)) AND S42	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2008/04/24 11:08
S53	0	(path ADJ loss) near5 (equal) near5 (downlink or (forward ADJ link)) near5 (uplink or (reverse ADJ link)) AND S39	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2008/04/24 11:08
S54	0	((control$4) WITH (proportion$4)) SAME (normaliz$7 near7 calculat$5 near7 signal$4 near7 quality)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2008/04/24 14:27
S55	7	(normaliz$7 near7 calculat$5 near7 signal$4 near7 quality)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2008/04/24 14:28
S56	0	(normaliz$7 WITH calculat$5 WITH signal $4 WITH quality) AND (proportion$4 ADJ factor $4)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2008/04/24 14:31
S57	27	(normaliz$7 WITH calculat$5 WITH signal $4 WITH quality) AND (factor$4)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2008/04/24 14:31
S58	1	(normaliz$7 WITH calculat$5 WITH signal $4 WITH quality) AND (proportion$5 near7 factor$4)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2008/04/24 14:32
S59	0	(normaliz$7 WITH calculat$5 WITH signal $4 WITH quality) AND (proportion$5 near3 factor$4)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2008/04/24 14:34
S60	0	(switch$4 near7 off) AND ("6907260".pn.)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2008/04/24 15:02
S61	0	(switch$4 WITH off) AND ("6907260".pn.)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2008/04/24 15:02
S62	0	(switch$4 WITH off) AND ("6621808".pn.)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2008/04/24 15:03

S63	16	(US-20040018850-$ or US-20040004943-$ or US-20030171118-$ or US-20070232346-$ or US-20020057666-$ or US-20040266473-$ or US-20020160799-$ or US-20050159118-$ or US-20060084379-$).did. or (US-6577617-$ or US-6324391-$ or US-5657374-$ or US-6961316-$ or US-5893035-$ or US-6385183-$ or US-6621808-$).did.	US-PGPUB; USPAT	OR	ON	2008/04/24 15:03
S64	3	(switch$4 WITH off) AND (S63)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2008/04/24 15:03
S65	0	(switch$4 near6 off near6 input near6 (downlink or (forward ADJ link)))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2008/04/24 15:06
S66	3	(switch$4 WITH off WITH input WITH (downlink or (forward ADJ link)))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2008/04/24 15:07
S67	4	((switch$4 ADJ5 off) near6 input) SAME (downlink or (forward ADJ link))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2008/04/24 15:14
S68	23	((switch$4 ADJ5 off) near6 input) SAME ((base ADJ station$2) or (base ADJ transceiver ADJ station$2))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2008/04/24 15:17

12/8/2008 4:36:35 PM
C:\ Documents and Settings\ ajain1\ My Documents\ EAST\ Workspaces\ 10599531.wsp